



# **MOSO®** Bamboo **Solid & Supra Collection**

With MOSO® Bamboo Panels, Beams, Veneer and Flexbamboo, you can create a beautiful interior made of naturally-grown bamboo. Our Bamboo Solid and Supra Collections offer multiple solutions for your interior projects, such as: furniture, worktops, window and door frames, kitchens, doors, stairs or wall and ceiling coverings. Be inspired and introduce **bamboo** to your **interior**!

6 beautiful



8 durable & stable



10 versatile



12 well made



14 solid collection



20 supra collection




28 custom made



30 sustainable







# beautiful

Enrich your interior project with MOSO® Panels, Beams, Veneer and Flexbamboo. Whether you desire a decorative or structural solution, there are numerous possibilities for each application. Similar to wood, the final look can be determined with many different finishes.



# durable & stable

Thanks to the composition of individual bamboo strips and the positioning and direction of each layer in multiply products, MOSO® Bamboo Panels and Beams will shrink and swell less than most solid wood species, providing more stability. With a hardness and density similar to or better than the best hardwood products, they are even suitable for use in heavy duty applications. MOSO® Bamboo Products are engineered to last a lifetime.

www.moso-bamboo.com/durable







### versatile

MOSO® Bamboo Panels, Beams, Veneer and Flexbamboo are available in different colours and textures, and in various sizes.

Depending on the finish or surface treatment, you can define your own style, just choose the one you like most! MOSO® Bamboo Products can be used for custom made furniture, worktops, window and door frames, kitchens, doors, stairs, wall and ceiling coverings and many more applications.



### well made

Moso bamboo is one of the fastest growing plants on earth. The bamboo stems grow from an underground root system. After 5 years a stem can be harvested, while the younger stems continue to grow. Each year new stems sprout from the root system. This means that the bamboo can be used without destroying the forest. After harvesting, the Moso bamboo stems are split and the inner and outer skin are removed. The strips naturally have a light yellow colour (natural), but can be steamed to obtain a light brown colour (caramel). After treating and drying, the strips are ready to be processed in several ways to make the final product:



### assembly of strips:



### **Plain Pressed**

Strips are placed horizontally and glued together to create a wide line pattern with the characteristic bamboo nodes clearly visible.



### **Side Pressed**

Strips are placed vertically and glued together to create a narrow line pattern with the bamboo nodes visible in a subtle way.



### Flexible

Strips are bonded to a flexible backing, creating a wide line pattern with the characteristic bamboo nodes clearly visible.



### **High Density®**

Strips are crushed into strands, compressed and glued under high pressure, creating an elegant random grain pattern. The result is a product that is even harder than the best tropical hardwood species.



#### hard & durable

With a hardness and density similar or better to the best hardwood products, MOSO® Bamboo Panels, Beams and Veneer are even suitable for use in heavy duty applications. All products are Brinell >4 kg/mm<sup>2</sup>. High Density® is exceptionally hard: Brinell >9.5 kg/mm<sup>2</sup>.



### high stability

Due to the composition of individual strips and multiple cross pressed lavers. MOSO® Bamboo Panels and Beams will shrink and swell less than solid wood species. providing more stability.



the benefits

### multiple solutions

MOSO® Bamboo Products offer multiple solutions for worktops, furniture, window and door frames, kitchens, doors, stairs, wall and ceiling coverings, and many more indoor applications.



### fireproof

Bamboo High Density® as material has a fire resistance class B-s1-d0, following EN 13501-1 facilitating application in public projects.



### healthy

The MOSO® Bamboo Panels. Beams and Veneer have low formaldehyde emissions meeting the E1 Class (EN 717-1) or EO Class.



### beautiful appearance

Creates a beautiful, natural look. Final appearance can be determined with many different finishes.



### endless resource

Made from bamboo, one of the fastest growing plants on earth. Each stem can be harvested after 4-5 years, and the plant continues to grow.



### CO2 neutral


Official I CA and carbon footprint studies (EN 15804) confirm that MOSO® Bamboo X-treme® is CO2 neutral during the product lifespan\*.

\*) This includes the CO<sub>2</sub> (biogenic carbon - EN 16449) stored in the product.



### super flexible\*

The intrinsic flexibility of bamboo as a material, combined with lamination techniques provide a unique material with very interesting design opportunities such as curved forms.



# MOSO® Solid Collection

MOSO® offers a very **broad assortment** of solid bamboo panels and beams in **various sizes**, **thicknesses**, **colours** and **textures**. These products have been used worldwide in various applications, including **door and window frames**, **stairs**, **curtain walls**, **furniture**, **kitchens** and **doors**.

# MOSO® bamboo solid panels

multilayer boards

The line pattern combined with a natural look creates numerous design possibilities.

# MOSO® bamboo solid beams

Tested for structural applications. With a striking look for decorative applications.

decorative & structural





### multiple layers of solid bamboo

With imagination and creativity, many design solutions benefit from the beautiful look of MOSO® Bamboo Solid Panels. The toplayer defines the wear resistance and hardness, which can last a lifetime.





20 mm Plain Pressed Natural / Caramel 5-ply 2440 x 1220 mm



38 mm High Density\* Caramel 5-ply 3100 / 4000 x 700 mm



16 mm Plain / Side Pressed Natural / Caramel 3-ply 2440 x 1220 mm



25 mm Plain / Side Pressed Natural / Caramel 3-ply 2440 x 1220 mm



40 mm Plain / Side Pressed Natural / Caramel 5-ply 2440 x 1220 mm



### 19 mm Side Pressed Natural / Caramel 1-ply 2440 x 1220 mm





30 mm Plain / Side Pressed Natural / Caramel 3-ply 2440 x 1220 mm








### 20 mm Plain / Side Pressed High Density® Natural / Caramel / Tiger• 3-ply 2440 x 1220 mm



38 mm High Density\* Natural / Caramel 5-ply 2440 x 1220 mm




### \* Mix of natural and caramel strips.



### decorative and structural applications

The high stability of MOSO® Bamboo Solid Beams allows for creative use in both decorative and structural applications. The beams are available in various dimensions, and are easy to process for specific requirements. Custom made beams can be requested for your projects.





# Azrieli Group (Gabi Oved) / Sher Architects (Zsili Gur)

# MOSO® Supra Collection

The MOSO® Bamboo 1-Ply Panels, Veneer and Flexbamboo offer multiple solutions for a decorative and sustainable bamboo interior, furniture applications and wall and ceiling coverings in various sizes, thickness, colours and textures.

### MOSO® bamboo 1-ply panels

Ready to be pressed on the material required for your project.

# ○ Lior Teitler

### MOSO® bamboo veneer

Veneer sheets can be pressed onto many materials or laminated for creative design solutions.



# MOSO® flexbamboo

A flexible bamboo product consisting of plain bamboo strips connected with a fabric backing.



### MOSO® bamboo 1-ply panels

### decorative panelling solution

MOSO® 1-Ply Panels consist of one single bamboo layer and are mainly used as a panel covering material. The bamboo product is pressed, preferably double sided, onto a base (for example MDF or chipboard).





<sup>\*</sup> Mix of natural and caramel strips.

For details about technical properties of all products, please refer to pages 35-36.



### thin, versatile and decorative layer

MOSO® Bamboo Veneer is created by slicing sheets from laminated blocks made from bamboo strips. The high quality bamboo veneer has to be pressed, preferably double sided, onto a base material or several layers of veneer can be pressed into a multiply product.



For details about technical properties of all products, please refer to pages 35-36.







**▶** www.moso-bamboo.com/veneer

### flexible bamboo covering material

MOSO® Flexbamboo is a flexible bamboo product consisting of plain bamboo strips connected with a fabric backing. The product is ready to be placed on a carrier (e.g. MDF) to be used as an aesthetic covering material onto walls, ceilings, cabinets or furniture. All Flexbamboo rolls can be delivered with a high quality LED hardwax oil finish. MOSO® Flexbamboo is available in rolls and sheets.







2 mm solid strip 7 / 15 mm Caramel unfinished sheet 1.25 x 2.44 / 2 x 3 m




solid strip 7 / 15 mm
Caramel / Misty White /
Walnut / Siliver Grey / Ebony
unfinished, oiled or stain-oiled
roll 45 x 2.04/2.44 m



4 mm veneered strip 50 mm Natural / Caramel / Misty White / Walnut / Silver Grey / Ebony unfinished, oiled or stain-oiled roll 15 x 2.04 / 2.42 m





# adrid International f Rogers Stirk Harbour + Pa www.moso-bamboo.com/madrid-airport

# MOSO® custom made

One of MOSO's strengths is to translate specific market needs into bamboo products.

Together with various clients, MOSO has co-created unique bamboo solutions for different industries, including green building industry, automotive, furniture and kitchen industry, consumer goods, and livestock stables.

### **Madrid Airport**

### ceiling board

"The ceiling consists of 100 mm wide planks of multi-layer MOSO® Bamboo Veneer. The visual qualities of this material imbue T4 with its very special character. Bamboo has the added benefit of being very sustainable."

Simon Smithson, lead architect of International Airport Madrid, partner at Rogers Stirk Harbour + Partners



### **REINÆRDT**

### doors

"With the MOSO® bamboo framewood in the doors, we can offer our customers not only a significantly better CO<sub>2</sub> balance, but also better quality thanks to increased stability and thus a long life expectancy."

Robert Haven purchase manager REINÆRDT



### **Doitrand Equestre**

### horse stable

"Quality, solidity and aesthetics are the three words that best describe MOSO® Bamboo Boards. Thanks to MOSO, we are sure to provide our customers an elegant

and durable stable."



### sustainable

MOSO® Bamboo Products offer clear sustainability advantages and are even proven to be CO<sub>2</sub> neutral during the product lifespan! The inclusion of MOSO® Bamboo Products contributes to a higher LEED, BREEAM, Green Star, HQE and DGNB certification score for green building projects. That's one of the reasons why you can find MOSO® Products in many sustainable reference projects all over the world.

### www.moso-bamboo.com/certifications










For more information about these references please go to page 32.

### carbon footprint

#### MOSO® Bamboo Products: CO2 neutral during the product lifespan

MOSO® has conducted an LCA and carbon footprint study together with Delft University of Technology (TU Delft) and INBAR. The report (www.mosobamboo.com/Ica) concludes that all assessed MOSO® Products (all solid bamboo flooring, decking, beams, panels and veneer) are CO2 negative during the product lifespan ("cradle till grave"). In this result the high growth rate of Moso bamboo has not even been taken into account, and can be perceived as additional environmental benefit. The environmental impact of MOSO® Products, excluding carbon sequestration effect, was also published in an official Environmental Product Declaration (EPD) following EN 15804 (www.moso-bamboo.com/epd).




in CO2 eq/kg

### unsurpassed growing speed

### Bamboo: the fastest growing plant in the world

Because of the fast growth, Moso bamboo is managed as an agricultural crop: the annual harvest of the 4-5 year old stems - compared to 60-80 years for tropical hardwood! - provides a steady annual income to farmers and stimulates the bamboo plant to reproduce even faster. Therefore, by default no deforestation occurs with production of MOSO® Bamboo Products, while large amounts of CO2 are captured in the bamboo forests and products (www.inbar.int/understanding-bamboos-climate-change-potential).





<sup>\*</sup> result depending on MOSO® product assessed.

### more information about inside references:

Apartment Madrid Center www.moso-bamboo.com/madrid Hotel Jakarta Amsterdam www.moso-bamboo.com/jakarta

Lexus Lounge at Brussels Airport

Princes Máxima Center

Headquarter Caisse d'Épargne

6 Headquarter ASICS EMEA www.moso-bamboo.com/asics

Private Residence Asker

Hotel Jakarta Amsterdam www.moso-bamboo.com/jakarta

Private Residence Cercedilla

(10) Thames Tower London ▶ www.moso-bamboo.com/thames

(11 ) Office Van Oord www.moso-bamboo.com/van-oord Office Rishonim www.moso-bamboo.com/rishonim

(13) STC Campus Waalhaven

(14) Office Docks Brussels www.moso-bamboo.com/docks

15 Bridge Pont d'Issy Orange Head Office

Minima Lighting Cape Town www.moso-bamboo.com/minima

(17) Midwives Clinic "Groei" Amsterdam www.moso-bamboo.com/groei

(18) Office Dagslys AS Oslo www.moso-bamboo.com/dagslys

(19) CityLife Shopping District Milan

(20) AkzoNobel Center & Art Space

IDOM Head Office Bilbao www.moso-bamboo.com/idom

Fugro TechCenter building ▶ www.moso-bamboo.com/fugro

### get inspired

**Head Office Inbisa Barcelona** 



**BMW dashboard** 

Worlwide

Hotel ZOKU Amsterdam

The Netherlands

**Bamboo Chair** 

The Netherlands



**MOSO**® Bamboo **Flooring** 

**AkzoNobel Center & Art Space** The Netherlands



**BMW Solar Carport** South Africa



Office Jumbo

The Netherlands



**Head Office Südwestmetall** 

Germany



Argentina

Bamboo Outdoor

**MOSO®** 





**Schiphol Airport** 

The Netherlands



**University Amsterdam** The Netherlands

O Interieurmakers

**Office FAO United Nations** Roma Italy



**Longwave - landsurfing boards** Poland



**Hotel Hyatt Palace** The Netherlands



**Belmond Safaris Savute Elephant Lodge** Botswana





**SNCF - Railway Station Bordeaux** France



MOSO Bamboo Unlimited

Be inspired by hundreds of bamboo applications and countless projects made with a wide range of MOSO® bamboo products:

www.moso-bamboo.com/ references



### **MOSO® Mastering Bamboo**

MOSO® develops and creates bamboo products for interior and exterior applications that meet the highest technical requirements and quality standards, enhance the beauty of applications and are made from the sustainable, renewable resource Moso bamboo.

With 25 years' experience in the relatively young bamboo industry, MOSO® is recognised as the **global A-brand** in bamboo because of its focus on product quality, innovation and sustainability. With an international team and partners in more than 50 countries, MOSO® is continuously looking for new applications and solutions that can be made with the fastest growing plant of the world. The proof is the impressive list of reference projects showcasing **endless possibilities** with MOSO® Bamboo Products.

Besides MOSO® Bamboo Panels, Beams, Veneer and Flexbamboo, MOSO offers a very broad assortment of **Bamboo Flooring** and Bamboo Outdoor products in various sizes, thicknesses, colours and textures. These products are used worldwide in various applications ranging from different types of flooring, stairs, outdoor decking, cladding, fencing, outdoor furniture, shutters and outdoor beams, providing an ideal combination with the MOSO® Solid and Supra Collections.

Furthermore, because of its expertise, MOSO® is able to develop unique, customised bamboo solutions for industrial clients, meeting exceptionally stringent requirements. Through its experience, innovative attitude and world-wide network, MOSO® is recognised as the **global A-brand** in bamboo products. The proof is the impressive list of references and clients such as Madrid Airport, BMW, AkzoNobel, Texaco, Guggenheim Museum, Rabobank, United Nations (FAO), and CitizenM Hotels. For an overview of our references and clients please visit our website: www.moso-bamboo.com/references.







FSC

#### **MOSO® Bamboo Panels, Veneer & Beams**

	Solid	Solid Collection Su														Supra Collection										
	Solid Pa	Solid Panel												Solid Beam				1-Ply Panel Veneer						Flexbamboo		
																						solid strip (fabric backing)  roll  sheet				
Dimensions (mm)																										
hickness	7	16	19	20	20	25	30	38	38	40	40	55	72	100		4	5	0.6	0.6	0.6	0.5	_ 2	2	4		
Length	2440	2440	2440	2440	2440	2440	2440	2440	3100/ 4000	2440	3000	2440	2440	2440		2440	2440	2500	2500	3100	2500	45000	1250/ 2000	15000		
/idth	1220	1220	1220	1220	1220	1220	1220	1220	700	1220	700	55	120	120		1220	1220	430	1250	430 / 1250	1250	2040/ 2440	2440/ 3000	2040 2440		
trip width																						7/15	7/15	50		
tyle																							,			
Plain Pressed (PP)	-	•	-	•	•	•	•	-	-	•	•	-	-	-		-	•	•	•	-	-					
Side Pressed (SP)	•	•	•	•	-	•	•	-	-	•	•	•	•	•		-	•	•	•	•	-					
ligh Density* (HD)	-	-	-	•	-	-	-	•	•	-	-	-	•	•		•	-	-	-	-	•					
olours																										
atural	•	•	•	•	•	•	•	•	-	•	•	•	-	-		•	•	-	-	-	-	•3)	•	•		
aramel	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•		
cru / Tiger	-	-	-	Tiger 1)	-	-	-	-	-	-	-	-	-	-		Tiger 1)	-	Ecru	Ecru	Ecru	-	-	-	-		
nish																					'					
nfinished	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•		
iled																						•4)	-	● <sup>4)</sup>		
onstruction (mm)																										
ayer 1	2	3.5	19	4	4	4	5	3	3	4	4	18.3	6 (HD: 72)	20 (HD:100)		4	5					_				
yer 2	3	9		12	4	17	20	6	6	8	6	18.3	20	20												
yer 3	2	3.5		4	4	4	5	20	20	16	20	18.3	20	20												
ayer 4					4			6	6	8	6		20	20												
ayer 5					4			3	3	4	4		6	20												
roperties & certification																					'		'			
ardness Brinell kg/mm²)	>4	>4	>4	>4 (HD:>9.5)	>4	>4	>4	>9.5	>9.5	>4	>4	>4	>4 (HD:>9.5)	>4 (HD:>9.5)		>9.5	>4	_ 2)	_ 2)	_ 2)	_ 2)	>3	>3	>3		
O <sub>2</sub> neutral	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	n.d.	n.d.	n.d.		
ID = High Density* .d. = not determined	MOSO* Bamboo Solid Panel consists of multiple layers of bamboo, available in multiple variations with respect to size, thickness, configuration, style and colour. These bamboo panels are especially interesting in those applications where the side of the panel remains visible, such as steps of a staircase, furniture and kitchen work tops.  Differ: Mix of natural and caramel strips, only available in High Density*.											MOSO* Bamboo Solid Beam may be used in numerous applications such as window- and doorframes, where typically (expensive) scarce tropical hardwood is used. Unlike hardwood,			MOSO® Bamboo 1-Ply Panel is mainly used as a panel covering material, where the bamboo is pressed, double sided, on a base (for example						MOSO* Flexbamboo is a flexible bamboo product often placed on a carrier (e.g. MDF) and used as an aesthetical covering material on walls, ceilings, or furniture.					
All products are available with FSC* certification on request.	<sup>1)</sup> Tiger: Mix of natural and caramel strips, only available in High Density*.											typically (expensive) scarce tropical			bamboo is pressed, double To avoid cracks during handling, MOSO®						aesthetical c					

very regular material in terms of stability and structure (no knots, no resins coming out) and is therefore easy to process.

Other dimensions are available on

Most applications require pressing on both sides of the base, to prevent possible bending. The result is a "sandwich panel".

2) The hardness of veneer dependent on the substrate used.

Only available in 2440 mm width. 1) There are 4 additional colours available: 92=Misty-White, 94=Walnut, 95=Silver-Grey,

Flexbamboo not available with FSC® certification.

















www.moso-bamboo.com/moso

MOSO: Leading in the development of innovative and sustainable bamboo products www.moso-bamboo.com

Headquarters

Moso International B.V.

Adam Smithweg 2 1689 ZW Zwaag The Netherlands T +31 (0)229 265732

North America

Moso North America Inc.

PO Box 793, 1741 Valley Forge Road Worcester, PA 19490 United States of America T: +1 855 343 8444

GCC & Arab Countries:

Moso MENA

P.O. Box: 410684 Dubai - UAE T: +971 4 8324934

mosomena@moso-bamboo.com

Spain, France, Portugal, North Africa, Latin America and Middle East:

Moso Europe S.L.U.

C/ Pau Claris, 83 - Principal 2ª 08010 Barcelona Spain T +34 (0)93 574 9610

Sub-Saharan Africa:

Moso Africa Pty. Ltd.

7 Glosderry Road Kenilworth 7708 Cape Town South Africa T +27 2167 11214 contact@moso-bamboo.co.za

Italy:

Moso Italia S.R.L

Via Antonio Locatelli 86 20853 Biassono (MB) Italy T +39 (0)39 900 5440 Hufton+Crow

Mastering bamboo

www.moso-bamboo.com